Unintentional Injury Hospitalizations

Unintentional Injury Hospitalizations
- Most recent data (2014): 509.5 hospitalizations per 100,000, including 10,471 admissions.
- Trend over time: 2000-14: falling
- Description: Includes non-fatal hospitalizations for any unintentional injury, including drowning, falls, fire, firearms, motor vehicle collision, poisioning, and suffocation
- Healthy People 2020 Goal: None listed for this indicator.

Unintentional injury hospitalizations, King County, 2010-2014 average

	Rate	Lower CI	Upper CI	Count per Year
King County (all ages)	512.6	508.1	517.2	10190
AGE				
<18	137.5	132.5	142.6	579
18-24	239.6	229.5	250.1	420
25-44	252.3	246.7	257.9	1562
45-64	503.8	495.3	512.4	2683
65+	2165.7	2138.8	2192.9	4946
GENDER				
Male	539.2	532.3	546.1	4989
Female	475.6	469.7	481.6	5201
RACE/ETHNICITY				
AIAN	N/A	N/A	N/A	N/A
Asian	N/A	N/A	N/A	N/A
Black	N/A	N/A	N/A	N/A
Hispanic	N/A	N/A	N/A	N/A
Multiple	N/A	N/A	N/A	N/A
NHPI	N/A	N/A	N/A	N/A
White	N/A	N/A	N/A	N/A
NEIGHBORHOOD POVERTY				
High	700	678.5	722.1	835
Medium	505.6	500.5	510.6	8088
Low	458.1	446.0	470.4	1158
REGION				
East	446.6	438.2	455.1	2252
North	509.6	495.1	524.5	1005
Seattle	531.6	523.0	540.3	3156
South	551.2	543.2	559.3	3777
STATE				
Washington State	547.3	544.8	549.8	39079

Comparisons:
- Higher than King County rate (yellow)
- Lower than King County rate (green)

Notes:
Source: WAState DOH, Office of Hospital and Patient Data Systems.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.

^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

N/A: Not available.

CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Unintentional injury hospitalizations
King County, 2010-2014 average

Category	Rate
King County	512.6
Age <18	137.5
18-24	239.6
25-44	252.3
45-64	503.8
65+	2165.7
Male	539.2
Female	475.6
High Poverty	700.0
Medium	505.6
Low	458.1
East	446.6
North	509.6
Seattle	531.6
South	551.2
Washington State	547.3

Rate^

Source: WA State DOH, Office of Hospital and Patient Data Systems.
Prepared by Public Health - Seattle & King County, APDE, 08/2016.
^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.
|------| Confidence interval shows range that includes true value 95% of the time.
* Too few cases to protect confidentiality and/or report reliable rates.
§ Too few cases to meet precision standard, interpret with caution.
Data by race/ethnicity not available.
Poverty = Neighborhood poverty levels defined by median household income.

Unintentional injury hospitalizations by zip codes
King County, 2010-2014 average

^Rate
- 608.7-1607.7
- 545.5-608.7
- 496.5-545.5
- 424.0-496.5
- 283.5-424.0
- Too few cases to report

Unintentional injury hospitalizations
King County, 2000-2014, three-year rolling averages

^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.
Trends over time: King County (2000-14: falling); East KC (2000-14: flat); North KC (2000-06: flat; 2006-14: falling);
    Seattle (2000-14: falling); South KC (2000-05: flat; 2005-14: falling); Washington State (2000-09: flat; 2009-14: falling)
Source: WA State DOH, Office of Hospital and Patient Data Systems.
Prepared by Public Health - Seattle & King County, APDE, 08/2016.